



Checklist for Opening an Aquatic Facility (Pool, Spa, or Splash Pad) Post-COVID-19 Closures

Updated May 1, 2020

This is a rapidly evolving situation. Recommendations will be updated and shared as new information becomes available.

This guidance is for Operators of pools, splash pads, and/or spas. All community pools, splash pads, and spas [were ordered closed](#) by Governor Doug Ducey on April 4, 2020.

Operators **must** ensure the following conditions are met prior to reopening:

- Perform a safety check ensuring that:
 - Enclosure fencing is secure and entry gates are self-closing and self-latching.
 - Pool, spa, or splash pads are free of hazards.
 - Filtration and disinfection equipment is functioning properly.
- Pima County Code 8.32 water quality standards, disinfection requirements free chlorine residual 1.0 ppm to 5.0 ppm Bromine 2.0 ppm to 10 ppm at a pH of 7.0 to 8.0. Chemical logs are filled out as required.
- Water shall be maintained free of turbidity and shall be sufficiently clear so that the main drain outlet is clearly visible from the side of the pool.
- Ensure all required safety equipment is installed and in good repair.
- Management offices shall establish guidelines for physical distancing (6 feet between people unless they live in the same unit) and post appropriate signage including:
 - "Do Not Enter if Ill" and "Preventing the spread of COVID-19."
 - Recommend spacing pool furniture to encourage social distancing and/or removing excess furniture.
 - Do not exceed the maximum bather capacity.
- High-contact surfaces such as gate latches, key pads, pool furniture, bathroom door handles, etc. shall be cleaned and sanitized using approved products at least twice per day.
- Facilities with bathrooms shall be properly cleaned and sanitized at least twice per day.
- Post Pima County handwashing signage.

Operators or patrons with questions can call 2-1-1

For more information about COVID-19, visit <https://www.cdc.gov/coronavirus/2019-ncov/> OR www.pima.gov/covid19