



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 05/09/14

TO: Bernie Cohn
Assistant Superintendent of Operations

FROM: Beth Gorman
Senior Program Manager

RE: Pima County DEQ Beryllium Monitoring Report January 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for January 2014.

Highlights:

- 36 samples collected resulting in 14 valid and 22 invalid samples (38.8% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Chaparral M.S.	140320419	Beryllium	1/2/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140320420	Beryllium	1/3/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140320421	Beryllium	1/4/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140320422	Beryllium	1/5/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140320423	Beryllium	1/5/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140320424	Beryllium	1/7/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140320425	Beryllium	1/8/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140320426	Beryllium	1/9/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140320427	Beryllium	1/10/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140320433	Beryllium	1/11/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140320428	Beryllium	1/11/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140320429	Beryllium	1/24/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140320430	Beryllium	1/28/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140320431	Beryllium	1/29/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 05/09/14

TO: Bernie Cohn
Assistant Superintendent of Operations

FROM: Beth Gorman
Senior Program Manager

RE: Pima County DEQ Beryllium Monitoring Report February 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for February 2014.

Highlights:

- 33 samples collected resulting in 17 valid and 16 invalid samples (51.5% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Chaparral M.S.	140320409	Beryllium	2/1/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140320410	Beryllium	2/2/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140320411	Beryllium	2/3/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140320412	Beryllium	2/4/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140320413	Beryllium	2/4/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140320414	Beryllium	2/5/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140320415	Beryllium	2/7/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140320416	Beryllium	2/9/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140320417	Beryllium	2/10/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140320418	Beryllium	2/10/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140320401	Beryllium	2/11/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140320402	Beryllium	2/13/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140320403	Beryllium	2/15/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140320404	Beryllium	2/19/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140320405	Beryllium	2/21/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140320406	Beryllium	2/25/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	1403204007	Beryllium	2/28/2014	IO-3.4	4/16/2014	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 6/4/14

TO: Bernie Cohn
Assistant Superintendent of Operations

FROM: Beth Gorman
Senior Program Manager

RE: Pima County DEQ Beryllium Monitoring Report March 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for March 2014.

Highlights:

- 36 samples collected resulting in 36 valid and 0 invalid samples (100% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Amigos Elementary	140411501	Beryllium	3/1/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140411502	Beryllium	3/2/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140411503	Beryllium	3/3/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140411504	Beryllium	3/4/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140411505	Beryllium	3/5/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140411506	Beryllium	3/6/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140411507	Beryllium	3/6/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140411508	Beryllium	3/7/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140411509	Beryllium	3/8/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140411510	Beryllium	3/9/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140411511	Beryllium	3/10/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140411512	Beryllium	3/11/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140411513	Beryllium	3/12/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140411514	Beryllium	3/12/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140411515	Beryllium	3/13/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140411516	Beryllium	3/14/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140411517	Beryllium	3/15/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140411518	Beryllium	3/16/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140411519	Beryllium	3/17/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140411520	Beryllium	3/18/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140411521	Beryllium	3/18/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140411538	Beryllium	3/18/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140411539	Beryllium	3/18/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140411522	Beryllium	3/19/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140411523	Beryllium	3/20/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140411524	Beryllium	3/21/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140411525	Beryllium	3/22/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140411526	Beryllium	3/23/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140411527	Beryllium	3/24/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140411528	Beryllium	3/24/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140411529	Beryllium	3/25/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140411530	Beryllium	3/26/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140411531	Beryllium	3/27/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140411532	Beryllium	3/28/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140411533	Beryllium	3/29/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140411534	Beryllium	3/30/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140411535	Beryllium	3/30/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140411536	Beryllium	3/31/2014	IO-3.4	5/21/2014	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 6/4/14

TO: Bernie Cohn
Assistant Superintendent of Operations

FROM: Beth Gorman
Senior Program Manager

RE: Pima County DEQ Beryllium Monitoring Report April 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for April 2014.

Highlights:

- 35 samples collected resulting in 34 valid and 1 invalid samples (97.1% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Ninos Elementary	140515301	Beryllium	4/1/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140515302	Beryllium	4/2/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140515303	Beryllium	4/3/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140515304	Beryllium	4/4/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140515305	Beryllium	4/5/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140515306	Beryllium	4/5/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140515307	Beryllium	4/6/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140515308	Beryllium	4/7/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140515309	Beryllium	4/8/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140515310	Beryllium	4/9/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140515311	Beryllium	4/10/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140515312	Beryllium	4/11/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140515313	Beryllium	4/11/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140515314	Beryllium	4/12/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140515315	Beryllium	4/13/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140515316	Beryllium	4/14/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140515317	Beryllium	4/15/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140515318	Beryllium	4/16/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140515319	Beryllium	4/17/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140515320	Beryllium	4/18/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140515321	Beryllium	4/19/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140515322	Beryllium	4/20/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140515323	Beryllium	4/21/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140515324	Beryllium	4/22/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140515325	Beryllium	4/23/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140515326	Beryllium	4/23/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140515327	Beryllium	4/24/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140515328	Beryllium	4/25/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140515329	Beryllium	4/26/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140515330	Beryllium	4/27/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140515331	Beryllium	4/28/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140515332	Beryllium	4/29/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140515333	Beryllium	4/29/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140515334	Beryllium	4/30/2014	IO-3.4	5/23/2014	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 7/15/14

TO: Bernie Cohn
Assistant Superintendent of Operations

FROM: Beth Gorman
Senior Program Manager

RE: Pima County DEQ Beryllium Monitoring Report May 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for May 2014.

Highlights:

- 36 samples collected resulting in 31 valid and 5 invalid samples (86.11% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Ninos Elementary	140701601	Beryllium	5/1/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140701602	Beryllium	5/2/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140701603	Beryllium	5/3/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140701604	Beryllium	5/4/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140701605	Beryllium	5/5/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140701606	Beryllium	5/5/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140701607	Beryllium	5/6/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140701608	Beryllium	5/7/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140701609	Beryllium	5/8/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140701610	Beryllium	5/9/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140701611	Beryllium	5/10/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140701612	Beryllium	5/11/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140701613	Beryllium	5/11/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140701614	Beryllium	5/12/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140701615	Beryllium	5/13/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140701616	Beryllium	5/14/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140701617	Beryllium	5/17/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140701618	Beryllium	5/17/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140701619	Beryllium	5/18/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140701620	Beryllium	5/19/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140701621	Beryllium	5/21/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140701622	Beryllium	5/22/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140701623	Beryllium	5/23/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140701624	Beryllium	5/23/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140701625	Beryllium	5/24/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140701626	Beryllium	5/25/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140701627	Beryllium	5/26/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140701628	Beryllium	5/27/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140701629	Beryllium	5/29/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140701630	Beryllium	5/30/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140701631	Beryllium	5/31/2014	IO-3.4	7/3/2014	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: September 26, 2014

TO: Bernie Cohn
Assistant Superintendent of Operations

FROM: Beth Gorman
Senior Program Manager

RE: Pima County DEQ Beryllium Monitoring Report June 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for June 2014.

Highlights:

- 35 samples collected resulting in 22 valid and 13 invalid samples (62.86% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Ninos Elementary	140724801	Beryllium	6/6/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140724802	Beryllium	6/10/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140724803	Beryllium	6/11/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140724804	Beryllium	6/13/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140724805	Beryllium	6/14/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140724806	Beryllium	6/15/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140724807	Beryllium	6/16/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140724808	Beryllium	6/16/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140724809	Beryllium	6/17/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140724810	Beryllium	6/18/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140724811	Beryllium	6/19/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140724812	Beryllium	6/20/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140724813	Beryllium	6/22/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140724814	Beryllium	6/23/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140724815	Beryllium	6/24/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140724816	Beryllium	6/25/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140724817	Beryllium	6/26/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140724818	Beryllium	6/27/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140724819	Beryllium	6/28/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140724820	Beryllium	6/28/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140724821	Beryllium	6/29/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140724822	Beryllium	6/30/2014	IO-3.4	8/27/2014	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 10/3/14

TO: Bernie Cohn
Assistant Superintendent of Operations

FROM: Beth Gorman
Senior Program Manager

RE: Pima County DEQ Beryllium Monitoring Report July 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for July 2014.

Highlights:

- 36 samples collected resulting in 15 valid and 21 invalid samples (41.7% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Chaparral M.S.	140820801	Beryllium	7/1/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	140820802	Beryllium	7/3/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140820803	Beryllium	7/4/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140820804	Beryllium	7/4/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140820805	Beryllium	7/5/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140820806	Beryllium	7/6/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140820807	Beryllium	7/7/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140820808	Beryllium	7/8/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	140820809	Beryllium	7/10/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	140820810	Beryllium	7/10/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	140820811	Beryllium	7/11/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140820812	Beryllium	7/12/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	140820813	Beryllium	7/18/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	140820814	Beryllium	7/25/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	140820815	Beryllium	7/26/2014	IO-3.4	9/16/2014	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 11/6/14

TO: Bernie Cohn
Assistant Superintendent of Operations

FROM: Beth Gorman
Senior Program Manager

RE: Pima County DEQ Beryllium Monitoring Report August 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for August 2014.

Highlights:

- 36 samples collected resulting in 10 valid and 26 invalid samples (27.8% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Nelson, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Transportation Bldg.	141002501	Beryllium	8/1/2014	IO-3.4	10/16/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	141002502	Beryllium	8/7/2014	IO-3.4	10/16/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	141002503	Beryllium	8/8/2014	IO-3.4	10/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	141002504	Beryllium	8/9/2014	IO-3.4	10/16/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	141002505	Beryllium	8/9/2014	IO-3.4	10/16/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	141002506	Beryllium	8/11/2014	IO-3.4	10/16/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	141002507	Beryllium	8/13/2014	IO-3.4	10/16/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	141002508	Beryllium	8/14/2014	IO-3.4	10/16/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	141002509	Beryllium	8/17/2014	IO-3.4	10/16/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	141002510	Beryllium	8/29/2014	IO-3.4	10/16/2014	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 1/2/15

TO: Bernie Cohn
Assistant Superintendent of Operations

FROM: Beth Gorman
Senior Program Manager

RE: Pima County DEQ Beryllium Monitoring Report September 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for September 2014.

Highlights:

- 35 samples collected resulting in 16 valid and 19 invalid samples (45.7% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Nelson, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Ninos Elementary	14114901	Beryllium	9/4/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	14114902	Beryllium	9/5/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	14114903	Beryllium	9/6/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	14114904	Beryllium	9/8/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	14114905	Beryllium	9/9/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	14114906	Beryllium	9/10/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	14114907	Beryllium	9/11/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	14114908	Beryllium	9/12/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	14114909	Beryllium	9/14/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	14114910	Beryllium	9/14/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	14114911	Beryllium	9/16/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	14114912	Beryllium	9/17/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	14114913	Beryllium	9/19/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	14114914	Beryllium	9/22/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	14114915	Beryllium	9/23/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	14114916	Beryllium	9/26/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 1/2/15

TO: Bernie Cohn
Assistant Superintendent of Operations

FROM: Beth Gorman
Senior Program Manager

RE: Pima County DEQ Beryllium Monitoring Report October 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for October 2014.

Highlights:

- 36 samples collected resulting in 4 valid and 32 invalid samples (11.1% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Ocotillo Elementary #2	141104801	Beryllium	10/26/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	141104802	Beryllium	10/27/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	141104803	Beryllium	10/28/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	141104804	Beryllium	10/30/2014	IO-3.4	11/12/2014	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 3/2/15

TO: Dr. Eugenia Favela
Superintendent

FROM: Beth Gorman
Senior Program Manager

Hector Encinas
Chief Financial Officer

RE: Pima County DEQ Beryllium Monitoring Report November 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for November 2014.

Highlights:

- 35 samples collected resulting in 31 valid and 4 invalid samples (88.6% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Nelson, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Ocotillo Elementary #1	150103801	Beryllium	11/1/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	150103802	Beryllium	11/1/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	150103803	Beryllium	11/2/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	150103804	Beryllium	11/5/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	150103805	Beryllium	11/6/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	150103806	Beryllium	11/7/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	150103807	Beryllium	11/7/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	150103808	Beryllium	11/9/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	150103809	Beryllium	11/10/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	150103810	Beryllium	11/12/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	150103811	Beryllium	11/13/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	150103812	Beryllium	11/13/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	150103813	Beryllium	11/14/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	150103814	Beryllium	11/15/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	150103815	Beryllium	11/16/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	150103816	Beryllium	11/17/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	150103817	Beryllium	11/18/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	150103818	Beryllium	11/19/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	150103819	Beryllium	11/19/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	150103820	Beryllium	11/20/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	150103821	Beryllium	11/21/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	150103822	Beryllium	11/22/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	150103823	Beryllium	11/23/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	150103824	Beryllium	11/24/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	150103825	Beryllium	11/25/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	150103826	Beryllium	11/25/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	150103827	Beryllium	11/26/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	150103828	Beryllium	11/27/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	150103829	Beryllium	11/28/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	150103830	Beryllium	11/29/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	150103831	Beryllium	11/30/2014	IO-3.4	2/17/2015	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 3/2/15

TO: Dr. Eugenia Favela
Superintendent

FROM: Beth Gorman
Senior Program Manager

Hector Encinas
Chief Financial Officer

RE: Pima County DEQ Beryllium Monitoring Report December 2014

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for December 2014.

Highlights:

- 37 samples collected resulting in 35 valid and 2 invalid samples (94.6% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Nelson, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Ocotillo Elementary #1	150107401	Beryllium	12/1/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	150107402	Beryllium	12/1/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	150107403	Beryllium	12/2/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	150107404	Beryllium	12/3/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	150107405	Beryllium	12/4/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	150107406	Beryllium	12/5/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	150107407	Beryllium	12/7/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	150107408	Beryllium	12/7/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	150107409	Beryllium	12/9/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	150107410	Beryllium	12/10/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	150107411	Beryllium	12/11/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	150107412	Beryllium	12/12/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	150107413	Beryllium	12/13/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	150107414	Beryllium	12/13/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	150107415	Beryllium	12/14/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	150107416	Beryllium	12/15/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	150107417	Beryllium	12/16/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	150107418	Beryllium	12/17/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	150107419	Beryllium	12/18/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	150107420	Beryllium	12/19/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	150107421	Beryllium	12/19/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	150107422	Beryllium	12/20/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	150107423	Beryllium	12/21/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	150107424	Beryllium	12/22/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	150107425	Beryllium	12/23/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	150107426	Beryllium	12/24/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	150107427	Beryllium	12/25/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	150107428	Beryllium	12/25/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	150107429	Beryllium	12/26/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	150107430	Beryllium	12/27/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	150107431	Beryllium	12/28/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	150107432	Beryllium	12/29/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	150107433	Beryllium	12/30/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	150107434	Beryllium	12/31/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	150107435	Beryllium	12/31/2014	IO-3.4	2/19/2015	<	0.225	ng/m ³	<0.225	