



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 4/5/2010

TO: Raul Ochoa
Assistant Superintendent Operations & Facilities Planning

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report January 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for January 2010.

Highlights:

- 36 samples collected resulting in 35 valid and 1 invalid samples (97.2% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Sunnyside H.S.	2010030360	Beryllium	1/1/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010030361	Beryllium	1/2/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010030362	Beryllium	1/2/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010030363	Beryllium	1/3/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010030364	Beryllium	1/4/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010030365	Beryllium	1/5/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010030366	Beryllium	1/6/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010030367	Beryllium	1/7/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010030368	Beryllium	1/8/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010030369	Beryllium	1/9/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010030370	Beryllium	1/10/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010030371	Beryllium	1/11/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010030372	Beryllium	1/12/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010030373	Beryllium	1/13/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010030374	Beryllium	1/14/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010030375	Beryllium	1/14/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010030376	Beryllium	1/15/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010030377	Beryllium	1/16/2010	IO-3.4	3/16/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010030378	Beryllium	1/17/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010030379	Beryllium	1/18/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010030380	Beryllium	1/19/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010030381	Beryllium	1/20/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010030382	Beryllium	1/20/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010030383	Beryllium	1/21/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010030384	Beryllium	1/22/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010030385	Beryllium	1/23/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010030386	Beryllium	1/24/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010030387	Beryllium	1/25/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010030388	Beryllium	1/26/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010030389	Beryllium	1/26/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010030390	Beryllium	1/27/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010030391	Beryllium	1/28/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010030392	Beryllium	1/29/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010030393	Beryllium	1/30/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010030394	Beryllium	1/31/2010	IO-3.4	3/18/2010	<	0.265	ng/m ³	<0.265	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 5/4/2010

TO: Raul Ochoa
Assistant Superintendent Operations & Facilities Planning

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report February 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for February 2010.

Highlights:

- 33 samples collected resulting in 33 valid and 0 invalid samples (100% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Ocotillo Elementary #1	2010031594	Beryllium	2/1/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010031595	Beryllium	2/1/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010031596	Beryllium	2/2/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010031597	Beryllium	2/3/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010031598	Beryllium	2/4/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010031599	Beryllium	2/5/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010031600	Beryllium	2/6/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010031601	Beryllium	2/7/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010031609	Beryllium	2/7/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010031608	Beryllium	2/8/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010031607	Beryllium	2/9/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010031606	Beryllium	2/10/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010031605	Beryllium	2/11/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010031604	Beryllium	2/12/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010031603	Beryllium	2/13/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010031602	Beryllium	2/13/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010031610	Beryllium	2/14/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010031611	Beryllium	2/15/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010031612	Beryllium	2/16/2010	IO-3.4	3/31/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010031613	Beryllium	2/17/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010031614	Beryllium	2/18/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010031615	Beryllium	2/19/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010031616	Beryllium	2/19/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010031617	Beryllium	2/20/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010031532	Beryllium	2/21/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010031533	Beryllium	2/22/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010031534	Beryllium	2/23/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010031535	Beryllium	2/24/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010031536	Beryllium	2/25/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010031537	Beryllium	2/25/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010031538	Beryllium	2/26/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010031539	Beryllium	2/27/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010031531	Beryllium	2/28/2010	IO-3.4	4/1/2010	<	0.265	ng/m ³	<0.265	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 6/29/2010

TO: Raul Ochoa
Assistant Superintendent Operations & Facilities Planning

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report March 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for March 2010.

Highlights:

- 36 samples collected resulting in 36 valid and 0 invalid samples (100% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Transportation Bldg.	2010041323	Beryllium	3/1/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010041324	Beryllium	3/2/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010041325	Beryllium	3/3/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elemenatry #2	2010041326	Beryllium	3/3/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010041327	Beryllium	3/4/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010041328	Beryllium	3/5/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010041329	Beryllium	3/6/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010041330	Beryllium	3/7/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010041331	Beryllium	3/8/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010041332	Beryllium	3/9/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elemenatry #2	2010041333	Beryllium	3/9/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010041334	Beryllium	3/10/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010041335	Beryllium	3/11/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010041336	Beryllium	3/12/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010041337	Beryllium	3/13/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010041338	Beryllium	3/14/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010041339	Beryllium	3/15/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elemenatry #2	2010041340	Beryllium	3/15/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010041341	Beryllium	3/16/2010	IO-3.4	6/15/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010041342	Beryllium	3/17/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010041343	Beryllium	3/18/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010041344	Beryllium	3/19/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010041345	Beryllium	3/20/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010041346	Beryllium	3/21/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elemenatry #2	2010041347	Beryllium	3/21/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010041348	Beryllium	3/22/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010041349	Beryllium	3/23/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010041350	Beryllium	3/24/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010041351	Beryllium	3/25/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010041352	Beryllium	3/1/1936	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010041353	Beryllium	3/27/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elemenatry #2	2010041354	Beryllium	3/27/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010041355	Beryllium	3/28/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010041356	Beryllium	3/29/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010041357	Beryllium	3/30/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010041358	Beryllium	3/31/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 07/27/2010

TO: Raul Ochoa
Assistant Superintendent Operations & Facilities Planning

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report April 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for April 2010.

Highlights:

- 35 samples collected resulting in 34 valid and 1 invalid samples (97.1% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Sunnyside H.S.	2010051501	Beryllium	4/1/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010051502	Beryllium	4/2/2010	IO-3.4	6/16/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010051503	Beryllium	4/2/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010051504	Beryllium	4/3/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010051505	Beryllium	4/4/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010051506	Beryllium	4/5/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010051507	Beryllium	4/6/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010051508	Beryllium	4/7/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010051509	Beryllium	4/8/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010051510	Beryllium	4/8/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010051511	Beryllium	4/9/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010051512	Beryllium	4/10/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010051513	Beryllium	4/11/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010051514	Beryllium	4/12/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010051515	Beryllium	4/13/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010051516	Beryllium	4/14/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010051517	Beryllium	4/14/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010051518	Beryllium	4/15/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010051519	Beryllium	4/16/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010051520	Beryllium	4/17/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010051521	Beryllium	4/18/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010051522	Beryllium	4/19/2010	IO-3.4	6/17/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010051523	Beryllium	4/20/2010	IO-3.4	6/18/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010051524	Beryllium	4/20/2010	IO-3.4	6/18/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010051525	Beryllium	4/21/2010	IO-3.4	6/18/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010051526	Beryllium	4/22/2010	IO-3.4	6/18/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010051527	Beryllium	4/23/2010	IO-3.4	6/18/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010051528	Beryllium	4/24/2010	IO-3.4	6/18/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010051529	Beryllium	4/25/2010	IO-3.4	6/18/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010051530	Beryllium	4/26/2010	IO-3.4	6/18/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010051531	Beryllium	4/26/2010	IO-3.4	6/18/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010051532	Beryllium	4/27/2010	IO-3.4	6/18/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010051533	Beryllium	4/29/2010	IO-3.4	6/18/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010051534	Beryllium	4/30/2010	IO-3.4	18-Jun	<	0.265	ng/m ³	<0.265	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 7/27/2010

TO: Raul Ochoa
Assistant Superintendent Operations & Facilities Planning

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report May 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for May 2010.

Highlights:

- 36 samples collected resulting in 34 valid and 2 invalid samples (94.4% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Sunnyside H.S.	2010070073	Beryllium	5/1/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010070074	Beryllium	5/2/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010070075	Beryllium	5/2/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010070076	Beryllium	5/3/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010070077	Beryllium	5/5/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010070078	Beryllium	5/6/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010070079	Beryllium	5/7/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010070080	Beryllium	5/8/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010070081	Beryllium	5/8/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010070082	Beryllium	5/9/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010070083	Beryllium	5/10/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010070084	Beryllium	5/11/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010070085	Beryllium	5/12/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010070086	Beryllium	5/13/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010070087	Beryllium	5/14/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010070088	Beryllium	5/14/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010070089	Beryllium	5/15/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010070090	Beryllium	5/16/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010070091	Beryllium	5/17/2010	IO-3.4	7/6/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010070092	Beryllium	5/18/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010070093	Beryllium	5/19/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010070094	Beryllium	5/20/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010070095	Beryllium	5/20/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010070096	Beryllium	5/21/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010070097	Beryllium	5/22/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010070098	Beryllium	5/23/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010070099	Beryllium	5/24/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010070100	Beryllium	5/25/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010070101	Beryllium	5/26/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010070102	Beryllium	5/26/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010070103	Beryllium	5/28/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010070104	Beryllium	5/29/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010070105	Beryllium	5/30/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010070106	Beryllium	5/31/2010	IO-3.4	7/7/2010	<	0.265	ng/m ³	<0.265	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 8/17/2010

TO: Richard Oros
Director of Plant Operations

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report June 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for June 2010.

Highlights:

- 35 samples collected resulting in 34 valid and 1 invalid samples (97.1% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Ocotillo Elementary #1	2010071530	Beryllium	6/1/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010071531	Beryllium	6/1/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010071532	Beryllium	6/2/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010071533	Beryllium	6/3/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010071534	Beryllium	6/4/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010071535	Beryllium	6/5/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010071536	Beryllium	6/6/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010071537	Beryllium	6/7/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010071538	Beryllium	6/7/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010071539	Beryllium	6/8/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010071540	Beryllium	6/9/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010071541	Beryllium	6/11/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010071542	Beryllium	6/12/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010071543	Beryllium	6/13/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010071544	Beryllium	6/13/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010071545	Beryllium	6/14/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010071546	Beryllium	6/15/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010071547	Beryllium	6/16/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010071548	Beryllium	6/17/2010	IO-3.4	7/28/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010071549	Beryllium	6/18/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010071550	Beryllium	6/19/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010071551	Beryllium	6/19/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010071552	Beryllium	6/20/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010071553	Beryllium	6/21/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010071554	Beryllium	6/22/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010071555	Beryllium	6/23/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010071556	Beryllium	6/24/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #1	2010071557	Beryllium	6/25/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Ocotillo Elementary #2	2010071558	Beryllium	6/25/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Los Amigos Elementary	2010071559	Beryllium	6/26/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Los Niños Elementary	2010071560	Beryllium	6/27/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Chaparral M.S.	2010071561	Beryllium	6/28/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Transportation Bldg.	2010071562	Beryllium	6/29/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	
Sunnyside H.S.	2010071563	Beryllium	6/30/2010	IO-3.4	7/29/2010	<	0.265	ng/m ³	<0.265	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 10/13/2010

TO: Richard Oros
Director of Plant Operations

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report July 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for July 2010.

Highlights:

- 37 samples collected resulting in 36 valid and 1 invalid samples (97.3% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- The PQL was updated from 0.265 to 0.225 to reflect the lowest standard used in the analysis.
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Ocotillo Elementary #1	2010081611	Beryllium	7/1/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010081612	Beryllium	7/1/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010081613	Beryllium	7/2/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010081614	Beryllium	7/3/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010081615	Beryllium	7/4/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010081616	Beryllium	7/5/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010081617	Beryllium	7/6/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010081618	Beryllium	7/7/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010081619	Beryllium	7/7/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010081620	Beryllium	7/8/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010081621	Beryllium	7/9/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010081622	Beryllium	7/10/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010081623	Beryllium	7/11/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010081624	Beryllium	7/12/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010081625	Beryllium	7/13/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010081626	Beryllium	7/13/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010081627	Beryllium	7/14/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010081628	Beryllium	7/15/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010081629	Beryllium	7/16/2010	IO-3.4	9/1/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010081630	Beryllium	7/17/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010081631	Beryllium	7/18/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010081632	Beryllium	7/19/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010081633	Beryllium	7/19/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010081634	Beryllium	7/20/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010081635	Beryllium	7/21/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010081636	Beryllium	7/23/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010081637	Beryllium	7/24/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010081638	Beryllium	7/25/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010081639	Beryllium	7/25/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010081640	Beryllium	7/26/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010081641	Beryllium	7/27/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010081642	Beryllium	7/28/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010081643	Beryllium	7/29/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010081644	Beryllium	7/30/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010081645	Beryllium	7/31/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010081646	Beryllium	7/31/2010	IO-3.4	9/2/2010	<	0.225	ng/m ³	<0.225	

NOTE: PQL has been updated to 0.225 ng/m3



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 11/10/2010

TO: Richard Oros
Director of Plant Operations

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report August 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network analysis report for August 2010.

Highlights:

- 36 samples collected resulting in 34 valid and 2 invalid samples (94.4% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- The PQL was updated from 0.265 to 0.225 to reflect the lowest standard used in the analysis.
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Amigos Elementary	2010091004	Beryllium	8/1/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010091005	Beryllium	8/2/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010091006	Beryllium	8/3/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010091007	Beryllium	8/4/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010091008	Beryllium	8/5/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010091009	Beryllium	8/6/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010091010	Beryllium	8/7/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010091011	Beryllium	8/8/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010091012	Beryllium	8/9/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010091013	Beryllium	8/10/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010091014	Beryllium	8/11/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010091015	Beryllium	8/12/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010091016	Beryllium	8/13/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010091017	Beryllium	8/14/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010091018	Beryllium	8/15/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010091019	Beryllium	8/16/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010091020	Beryllium	8/17/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010091021	Beryllium	8/18/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010091022	Beryllium	8/18/2010	IO-3.4	9/22/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010091023	Beryllium	8/19/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010091024	Beryllium	8/20/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010091025	Beryllium	8/21/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010091026	Beryllium	8/22/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010091027	Beryllium	8/23/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010091028	Beryllium	8/24/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010091029	Beryllium	8/24/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010091030	Beryllium	8/25/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010091031	Beryllium	8/26/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010091032	Beryllium	8/27/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010091033	Beryllium	8/28/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010091034	Beryllium	8/29/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010091035	Beryllium	8/30/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010091036	Beryllium	8/30/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010091037	Beryllium	8/31/2010	IO-3.4	9/23/2010	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 11/23/2010

TO: Richard Oros
Director of Plant Operations

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report September 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for September 2010.

Highlights:

- 35 samples collected resulting in 33 valid and 2 invalid samples (94.3% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- The PQL was updated from 0.265 to 0.225 to reflect the lowest standard used in the analysis.
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Niños Elementary	2010101762	Beryllium	9/1/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010101763	Beryllium	9/2/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010101764	Beryllium	9/3/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010101765	Beryllium	9/4/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010101766	Beryllium	9/5/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010101767	Beryllium	9/5/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010101768	Beryllium	9/6/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010101769	Beryllium	9/7/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010101770	Beryllium	9/8/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010101771	Beryllium	9/9/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010101772	Beryllium	9/10/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010101773	Beryllium	9/11/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010101774	Beryllium	9/11/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010101775	Beryllium	9/12/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010101776	Beryllium	9/13/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010101777	Beryllium	9/14/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010101778	Beryllium	9/15/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010101779	Beryllium	9/16/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010101780	Beryllium	9/17/2010	IO-3.4	11/3/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010101781	Beryllium	9/17/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010101782	Beryllium	9/18/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010101783	Beryllium	9/19/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010101784	Beryllium	9/20/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010101785	Beryllium	9/21/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010101786	Beryllium	9/22/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010101787	Beryllium	9/23/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010101788	Beryllium	9/23/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010101789	Beryllium	9/24/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010101790	Beryllium	9/25/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010101791	Beryllium	9/26/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010101792	Beryllium	9/28/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010101793	Beryllium	9/29/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010101794	Beryllium	9/29/2010	IO-3.4	11/4/2010	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 1/3/2011

TO: Richard Oros
Director of Plant Operations

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report October 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for October 2010.

Highlights:

- 36 samples collected resulting in 35 valid and 1 invalid samples (97.2% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- The PQL was updated from 0.265 to 0.225 to reflect the lowest standard used in the analysis.
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Ninos Elementary	2010111456	Beryllium	10/1/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010111457	Beryllium	10/2/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010111458	Beryllium	10/4/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010111459	Beryllium	10/5/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010111460	Beryllium	10/5/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010111461	Beryllium	10/6/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2010111462	Beryllium	10/7/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010111463	Beryllium	10/8/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010111464	Beryllium	10/9/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010111465	Beryllium	10/10/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010111466	Beryllium	10/11/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010111467	Beryllium	10/11/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010111468	Beryllium	10/12/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2010111469	Beryllium	10/13/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010111470	Beryllium	10/14/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010111471	Beryllium	10/15/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010111472	Beryllium	10/16/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010111473	Beryllium	10/17/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010111474	Beryllium	10/17/2010	IO-3.4	12/1/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010111475	Beryllium	10/18/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2010111476	Beryllium	10/19/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010111477	Beryllium	10/20/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010111478	Beryllium	10/21/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010111479	Beryllium	10/22/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010111480	Beryllium	10/23/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010111481	Beryllium	10/23/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010111482	Beryllium	10/24/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2010111483	Beryllium	10/25/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010111484	Beryllium	10/26/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010111485	Beryllium	10/27/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010111486	Beryllium	10/28/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010111487	Beryllium	10/29/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010111488	Beryllium	10/29/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010111489	Beryllium	10/30/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2010111490	Beryllium	10/31/2010	IO-3.4	12/2/2010	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 1/13/2011

TO: Richard Oros
Director of Plant Operations

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report November 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for November 2010.

Highlights:

- 35 samples collected resulting in 35 valid and 0 invalid samples (100.0% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- The PQL was updated from 0.265 to 0.225 to reflect the lowest standard used in the analysis.
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Chaparral M.S.	2010121375	Beryllium	11/1/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010121376	Beryllium	11/2/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010121377	Beryllium	11/3/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010121378	Beryllium	11/4/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010121379	Beryllium	11/4/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010121380	Beryllium	11/5/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010121381	Beryllium	11/6/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010121382	Beryllium	11/7/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010121383	Beryllium	11/8/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010121384	Beryllium	11/9/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010121385	Beryllium	11/10/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010121386	Beryllium	11/10/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010121387	Beryllium	11/11/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010121388	Beryllium	11/12/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010121389	Beryllium	11/13/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010121390	Beryllium	11/14/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010121391	Beryllium	11/15/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010121392	Beryllium	11/16/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010121393	Beryllium	11/16/2010	IO-3.4	12/27/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010121394	Beryllium	11/17/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010121395	Beryllium	11/18/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010121396	Beryllium	11/19/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010121397	Beryllium	11/20/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010121398	Beryllium	11/21/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010121399	Beryllium	11/22/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010121400	Beryllium	11/22/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010121401	Beryllium	11/23/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010121402	Beryllium	11/24/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2010121403	Beryllium	11/25/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2010121404	Beryllium	11/26/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2010121405	Beryllium	11/27/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2010121406	Beryllium	11/28/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2010121407	Beryllium	11/28/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2010121408	Beryllium	11/29/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2010121409	Beryllium	11/30/2010	IO-3.4	12/28/2010	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 3/10/2011

TO: Richard Oros
Director of Plant Operations

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report December 2010

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for December 2010.

Highlights:

- 36 samples collected resulting in 36 valid and 0 invalid samples (100% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- The PQL was updated from 0.265 to 0.225 to reflect the lowest standard used in the analysis.
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Chaparral M.S.	2011011142	Beryllium	12/1/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2011011143	Beryllium	12/2/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2011011144	Beryllium	12/3/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2011011145	Beryllium	12/4/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2011011146	Beryllium	12/4/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2011011147	Beryllium	12/5/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2011011148	Beryllium	12/6/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2011011149	Beryllium	12/7/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2011011150	Beryllium	12/8/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2011011151	Beryllium	12/9/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2011011153	Beryllium	12/10/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2011011154	Beryllium	12/10/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2011011155	Beryllium	12/11/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2011011156	Beryllium	12/12/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2011011157	Beryllium	12/13/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2011011158	Beryllium	12/14/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2011011160	Beryllium	12/15/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2011011161	Beryllium	12/16/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2011011162	Beryllium	12/16/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2011011163	Beryllium	12/17/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2011011164	Beryllium	12/18/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2011011165	Beryllium	12/19/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2011011166	Beryllium	12/20/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2011011167	Beryllium	12/21/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2011011168	Beryllium	12/22/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2011011169	Beryllium	12/22/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2011011170	Beryllium	12/23/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2011011171	Beryllium	12/24/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2011011172	Beryllium	12/25/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2011011173	Beryllium	12/26/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2011011174	Beryllium	12/27/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2011011175	Beryllium	12/28/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2011011176	Beryllium	12/28/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2011011177	Beryllium	12/29/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2011011178	Beryllium	12/30/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2011011179	Beryllium	12/31/2010	IO-3.4	2/17/2011	<	0.225	ng/m ³	<0.225	