



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 5/23/2012

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report January 2012

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for January 2012.

Highlights:

- 36 samples collected resulting in 36 valid and 0 invalid samples (100 % data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 7101 N. Casa Grande Highway
 January-12

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Chaparral M.S.	2012030713	Beryllium	1/1/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012030714	Beryllium	1/2/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012030715	Beryllium	1/3/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012030716	Beryllium	1/4/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012030717	Beryllium	1/4/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012030718	Beryllium	1/5/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012030719	Beryllium	1/6/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012030720	Beryllium	1/7/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012030721	Beryllium	1/8/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012030722	Beryllium	1/9/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012030723	Beryllium	1/10/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012030724	Beryllium	1/10/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012030725	Beryllium	1/11/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012030726	Beryllium	1/12/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012030727	Beryllium	1/13/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012030728	Beryllium	1/14/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012030729	Beryllium	1/15/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012030730	Beryllium	1/16/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012030731	Beryllium	1/16/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012030732	Beryllium	1/17/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012030733	Beryllium	1/18/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012030734	Beryllium	1/19/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012030735	Beryllium	1/20/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012030736	Beryllium	1/21/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012030737	Beryllium	1/22/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012030738	Beryllium	1/22/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012030739	Beryllium	1/23/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012030740	Beryllium	1/24/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012030741	Beryllium	1/25/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012030742	Beryllium	1/26/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012030743	Beryllium	1/27/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012030744	Beryllium	1/28/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012030745	Beryllium	1/28/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012030746	Beryllium	1/29/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012030747	Beryllium	1/30/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012030748	Beryllium	1/31/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 7/9/2012

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report February 2012

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for February 2012.

Highlights:

- 34 samples collected resulting in 34 valid and 0 invalid samples (100% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
3035 W. El Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Transportation Bldg.	2012040827	Beryllium	2/1/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012040828	Beryllium	2/2/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012040829	Beryllium	2/3/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012040830	Beryllium	2/3/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012040832	Beryllium	2/4/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2012040833	Beryllium	2/5/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012040835	Beryllium	2/6/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012040838	Beryllium	2/7/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012040845	Beryllium	2/8/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012040846	Beryllium	2/9/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012040831	Beryllium	2/9/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012040834	Beryllium	2/10/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2012040836	Beryllium	2/11/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012040837	Beryllium	2/12/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012040839	Beryllium	2/13/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012040840	Beryllium	2/14/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012040841	Beryllium	2/15/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012040842	Beryllium	2/15/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012040843	Beryllium	2/16/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2012040844	Beryllium	2/17/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012040847	Beryllium	2/18/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012040848	Beryllium	2/19/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012040849	Beryllium	2/20/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012040850	Beryllium	2/21/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012040851	Beryllium	2/21/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012040852	Beryllium	2/22/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2012040853	Beryllium	2/23/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012040854	Beryllium	2/24/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012040855	Beryllium	2/25/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012040856	Beryllium	2/26/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012040813	Beryllium	2/27/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012040816	Beryllium	2/27/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012040819	Beryllium	2/28/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	
Los Niños Elementary	2012040821	Beryllium	2/29/2012	IO-3.4	5/9/2012	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 7/17/2012

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report March 2012

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for March 2012.

Highlights:

- 36 samples collected resulting in 35 valid and 1 invalid samples (97.2% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Chaparral M.S.	2012050419	Beryllium	3/1/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012050420	Beryllium	3/2/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012050421	Beryllium	3/3/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012050422	Beryllium	3/4/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012050423	Beryllium	3/4/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012050424	Beryllium	3/5/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012050425	Beryllium	3/6/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012050426	Beryllium	3/7/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012050427	Beryllium	3/8/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012050428	Beryllium	3/9/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012050429	Beryllium	3/10/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012050430	Beryllium	3/10/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012050431	Beryllium	3/11/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012050432	Beryllium	3/12/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012050433	Beryllium	3/13/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012050434	Beryllium	3/14/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012050435	Beryllium	3/15/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012050436	Beryllium	3/16/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012050437	Beryllium	3/16/2012	IO-3.4	6/26/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012050438	Beryllium	3/17/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012050439	Beryllium	3/18/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012050440	Beryllium	3/19/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012050441	Beryllium	3/20/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012050442	Beryllium	3/21/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012050443	Beryllium	3/22/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012050444	Beryllium	3/22/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012050445	Beryllium	3/23/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012050446	Beryllium	3/24/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012050447	Beryllium	3/25/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012050448	Beryllium	3/26/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012050449	Beryllium	3/27/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012050450	Beryllium	3/28/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012050451	Beryllium	3/28/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012050452	Beryllium	3/30/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012050453	Beryllium	3/31/2012	IO-3.4	6/28/2012	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 9/10/12

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report April 2012

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for April 2012.

Highlights:

- 35 samples collected resulting in 33 valid and 2 invalid samples (94.3% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
7101 N. Casa Grande Highway

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Transportation Bldg	2012051523	Beryllium	4/1/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012051524	Beryllium	4/2/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012051525	Beryllium	4/3/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012051526	Beryllium	4/3/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012051527	Beryllium	4/4/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012051528	Beryllium	4/5/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012051529	Beryllium	4/6/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg	2012051530	Beryllium	4/7/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012051531	Beryllium	4/8/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012051532	Beryllium	4/9/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012051533	Beryllium	4/9/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012051534	Beryllium	4/10/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012051535	Beryllium	4/11/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012051536	Beryllium	4/12/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg	2012051537	Beryllium	4/13/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012051538	Beryllium	4/14/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012051539	Beryllium	4/15/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012051540	Beryllium	4/15/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012051541	Beryllium	4/16/2012	IO-3.4	8/3/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012051542	Beryllium	4/17/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012051543	Beryllium	4/18/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg	2012051544	Beryllium	4/19/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012051545	Beryllium	4/20/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012051546	Beryllium	4/21/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012051547	Beryllium	4/22/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012051548	Beryllium	4/23/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012051549	Beryllium	4/24/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg	2012051550	Beryllium	4/25/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012051551	Beryllium	4/26/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012051552	Beryllium	4/27/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012051553	Beryllium	4/28/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012051554	Beryllium	4/29/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012051555	Beryllium	4/30/2012	IO-3.4	8/7/2012	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 9/10/12

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report May 2012

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for May 2012.

Highlights:

- 36 samples collected resulting in 36 valid and 0 invalid samples (100.0% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Transportation Bldg.	2012070135	Beryllium	5/1/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012070136	Beryllium	5/2/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012070137	Beryllium	5/3/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012070138	Beryllium	5/3/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012070139	Beryllium	5/4/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012070140	Beryllium	5/5/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012070141	Beryllium	5/6/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012070142	Beryllium	5/7/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012070143	Beryllium	5/8/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012070144	Beryllium	5/9/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012070145	Beryllium	5/9/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012070146	Beryllium	5/10/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012070147	Beryllium	5/11/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012070148	Beryllium	5/12/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012070149	Beryllium	5/13/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012070150	Beryllium	5/14/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012070151	Beryllium	5/15/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012070152	Beryllium	5/15/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012070153	Beryllium	5/16/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012070154	Beryllium	5/17/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012070155	Beryllium	5/18/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012070156	Beryllium	5/19/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012070157	Beryllium	5/20/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012070158	Beryllium	5/21/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012070159	Beryllium	5/21/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012070160	Beryllium	5/22/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012070161	Beryllium	5/23/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012070162	Beryllium	5/24/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012070163	Beryllium	5/25/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012070164	Beryllium	5/26/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012070165	Beryllium	5/27/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012070166	Beryllium	5/27/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012070167	Beryllium	5/28/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012070168	Beryllium	5/29/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012070169	Beryllium	5/30/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012070170	Beryllium	5/31/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 9/10/12

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report June 2012

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for June 2012.

Highlights:

- 35 samples collected resulting in 34 valid and 1 invalid samples (97.2% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
3035 W. El Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Ocotillo Elementary #1	2012070084	Beryllium	6/2/2012	IO-3.4	8/21/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012070085	Beryllium	6/2/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012070086	Beryllium	6/3/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012070088	Beryllium	6/4/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012070089	Beryllium	6/5/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012070091	Beryllium	6/6/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012070093	Beryllium	6/7/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012070096	Beryllium	6/8/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012070098	Beryllium	6/8/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012070100	Beryllium	6/9/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012070103	Beryllium	6/10/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012070105	Beryllium	6/11/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012070106	Beryllium	6/12/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012070107	Beryllium	6/13/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012070109	Beryllium	6/14/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012070114	Beryllium	6/14/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012070115	Beryllium	6/15/2012	IO-3.4	8/17/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012070114	Beryllium	6/16/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012070117	Beryllium	6/17/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012070118	Beryllium	6/18/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012070119	Beryllium	6/19/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012070120	Beryllium	6/20/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012070121	Beryllium	6/20/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012070122	Beryllium	6/21/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012070123	Beryllium	6/22/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012070124	Beryllium	6/23/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012070125	Beryllium	6/24/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	2012070126	Beryllium	6/25/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	2012070128	Beryllium	6/26/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	2012070129	Beryllium	6/26/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	2012070130	Beryllium	6/27/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	2012070131	Beryllium	6/28/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	2012070132	Beryllium	6/29/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	2012070133	Beryllium	6/30/2012	IO-3.4	8/22/2012	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 12/6/2012

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report July 2012

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for July 2012.

Highlights:

- 35 samples collected resulting in 34 valid and 1 invalid samples (97.1% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Sunnyside H.S.	120904201	Beryllium	7/1/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	120904202	Beryllium	7/2/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	120904203	Beryllium	7/2/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	120904204	Beryllium	7/3/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	120904205	Beryllium	7/4/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	120904206	Beryllium	7/5/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	120904207	Beryllium	7/6/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	120904208	Beryllium	7/7/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	120904209	Beryllium	7/8/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	120904210	Beryllium	7/8/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	120904211	Beryllium	7/9/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	120904212	Beryllium	7/10/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	120904213	Beryllium	7/11/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	120904214	Beryllium	7/12/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	120904215	Beryllium	7/13/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	120904216	Beryllium	7/14/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	120904217	Beryllium	7/14/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	120904218	Beryllium	7/15/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	120904219	Beryllium	7/16/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	120904220	Beryllium	7/17/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	120904221	Beryllium	7/18/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	120904222	Beryllium	7/19/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	120904223	Beryllium	7/20/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	120904224	Beryllium	7/20/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	120904225	Beryllium	7/21/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	120904226	Beryllium	7/22/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	120904227	Beryllium	7/23/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	120904228	Beryllium	7/24/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	120904229	Beryllium	7/25/2012	IO-3.4	10/23/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	120904230	Beryllium	7/26/2012	IO-3.4	10/26/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	120904231	Beryllium	7/26/2012	IO-3.4	10/26/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	120904232	Beryllium	7/27/2012	IO-3.4	10/26/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	120904233	Beryllium	7/29/2012	IO-3.4	10/26/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	120904234	Beryllium	7/30/2012	IO-3.4	10/26/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	120904235	Beryllium	7/31/2012	IO-3.4	10/26/2012	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 12/6/2012

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report August 2012

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for August 2012.

Highlights:

- 37 samples collected resulting in 37 valid and 0 invalid samples (100.0% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Ocotillo Elementary #1	120925701	Beryllium	8/1/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	120925702	Beryllium	8/1/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	120925703	Beryllium	8/2/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	120925704	Beryllium	8/3/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	120925705	Beryllium	8/4/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	120925706	Beryllium	8/5/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	120925707	Beryllium	8/6/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	120925708	Beryllium	8/7/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	120925709	Beryllium	8/7/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	120925710	Beryllium	8/8/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	120925711	Beryllium	8/9/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	120925712	Beryllium	8/10/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	120925713	Beryllium	8/11/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	120925714	Beryllium	8/12/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	120925715	Beryllium	8/13/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	120925716	Beryllium	8/13/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	120925717	Beryllium	8/14/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	120925718	Beryllium	8/15/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	120925719	Beryllium	8/16/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	120925720	Beryllium	8/17/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	120925721	Beryllium	8/18/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	120925722	Beryllium	8/19/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	120925723	Beryllium	8/19/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	120925724	Beryllium	8/20/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	120925725	Beryllium	8/21/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	120925726	Beryllium	8/22/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	120925727	Beryllium	8/23/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	120925728	Beryllium	8/24/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	120925729	Beryllium	8/25/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	120925730	Beryllium	8/25/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	120925731	Beryllium	8/26/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	120925732	Beryllium	8/27/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	120925733	Beryllium	8/28/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	120925734	Beryllium	8/29/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	120925735	Beryllium	8/30/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	120925736	Beryllium	8/31/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	120925737	Beryllium	8/31/2012	IO-3.4	11/7/2012	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 2/22/13

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report September 2012

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for September 2012.

Highlights:

- 35 samples collected resulting in 33 valid and 2 invalid samples (94.3% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Amigos Elementary	121017401	Beryllium	9/1/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121017402	Beryllium	9/2/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121017403	Beryllium	9/3/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121017404	Beryllium	9/4/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121017405	Beryllium	9/5/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121017406	Beryllium	9/6/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	121017407	Beryllium	9/6/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121017408	Beryllium	9/7/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121017409	Beryllium	9/8/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121017410	Beryllium	9/9/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121017411	Beryllium	9/10/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121017412	Beryllium	9/11/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121017413	Beryllium	9/12/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121017414	Beryllium	9/13/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121017415	Beryllium	9/14/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121017416	Beryllium	9/15/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121017417	Beryllium	9/16/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121017418	Beryllium	9/17/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121017419	Beryllium	9/18/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121017420	Beryllium	9/19/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121017421	Beryllium	9/20/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121017422	Beryllium	9/21/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121017423	Beryllium	9/22/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121017424	Beryllium	9/23/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121017425	Beryllium	9/24/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	121017426	Beryllium	9/24/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121017427	Beryllium	9/25/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121017428	Beryllium	9/26/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121017429	Beryllium	9/27/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121017430	Beryllium	9/28/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121017431	Beryllium	9/29/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121017432	Beryllium	9/30/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	121017433	Beryllium	9/30/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 2/21/13

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report October 2012

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for October 2012.

Highlights:

- 36 samples collected resulting in 36 valid and 0 invalid samples (100.0% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Amigos Elementary	121126001	Beryllium	10/1/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121126002	Beryllium	10/2/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121126003	Beryllium	10/3/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121126004	Beryllium	10/4/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121126005	Beryllium	10/5/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121126006	Beryllium	10/6/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	121126007	Beryllium	10/6/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121126008	Beryllium	10/7/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121126009	Beryllium	10/8/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121126010	Beryllium	10/9/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121126011	Beryllium	10/10/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121126012	Beryllium	10/11/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121126013	Beryllium	10/12/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	121126014	Beryllium	10/12/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121126015	Beryllium	10/13/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121126016	Beryllium	10/14/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121126017	Beryllium	10/15/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121126018	Beryllium	10/16/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121126019	Beryllium	10/17/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121126020	Beryllium	10/18/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	121126021	Beryllium	10/18/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121126022	Beryllium	10/19/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121126023	Beryllium	10/20/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121126024	Beryllium	10/21/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121126025	Beryllium	10/22/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121126026	Beryllium	10/23/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121126027	Beryllium	10/24/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	121126028	Beryllium	10/24/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121126029	Beryllium	10/25/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121126030	Beryllium	10/26/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121126031	Beryllium	10/27/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121126032	Beryllium	10/28/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121126033	Beryllium	10/29/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121126034	Beryllium	10/30/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	121126035	Beryllium	10/30/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121126036	Beryllium	10/31/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 2/21/13

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Program Manager

RE: Pima County DEQ Beryllium Monitoring Report November 2012.

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for November 2012.

Highlights:

- 35 samples collected resulting in 29 valid and 6 invalid samples (82.9% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
 Compliance and Regulatory Affairs Office
 3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Ninos Elementary	121216401	Beryllium	11/1/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121216402	Beryllium	11/2/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121216403	Beryllium	11/3/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121216404	Beryllium	11/4/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121216405	Beryllium	11/5/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	121216406	Beryllium	11/5/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121216407	Beryllium	11/6/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121216408	Beryllium	11/9/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121216409	Beryllium	11/10/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121216410	Beryllium	11/11/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	121216411	Beryllium	11/11/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121216412	Beryllium	11/12/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121216413	Beryllium	11/15/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121216414	Beryllium	11/16/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121216415	Beryllium	11/17/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	121216416	Beryllium	11/17/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121216417	Beryllium	11/18/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121216418	Beryllium	11/19/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121216419	Beryllium	11/20/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121216420	Beryllium	11/21/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121216421	Beryllium	11/22/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121216422	Beryllium	11/23/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121216423	Beryllium	11/24/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	121216424	Beryllium	11/25/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	121216425	Beryllium	11/26/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	121216426	Beryllium	11/27/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	121216427	Beryllium	11/28/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	121216428	Beryllium	11/29/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	121216429	Beryllium	11/30/2012	IO-3.4	12/24/2012	<	0.225	ng/m ³	<0.225	



MEMORANDUM

Pima County Department of Environmental Quality

DATE: 4/1/13

TO: Alex Gallego
Executive Director of Facilities

FROM: Beth Gorman
Senior Program Manager

RE: Pima County DEQ Beryllium Monitoring Report December 2012

Attached is the Pima County Department of Environmental Quality's (PDEQ) Air Monitoring Division Beryllium Monitoring Network Beryllium analysis report for December 2012.

Highlights:

- 36 samples collected resulting in 35 valid and 1 invalid samples (97.2% data recovery). EPA requires monitoring data recovery at 75%.
- No beryllium values were detected over the Practical Quantitation Level (PQL).
- PDEQ and SUSD staff are continuing to employ stringent monitoring protocols to ensure quality data is being collected properly to better protect public health.

Attachment

Cc: Ursula Kramer, Pima County Department of Environmental Quality Director
Richard Grimaldi, Pima County Department of Environmental Deputy Director

Pima County Regional Wastewater Reclamation Department
Compliance and Regulatory Affairs Office
3035 W. Camino del Cerro

Sample Location	Sample ID	Parameter	Sample Date	Analysis Method	Analysis Date		Final Value	Units	PQL	Data Qualifier(s)
Los Ninos Elementary	130110901	Beryllium	12/1/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	130110902	Beryllium	12/2/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	130110903	Beryllium	12/3/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	130110904	Beryllium	12/4/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	130110905	Beryllium	12/5/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	130110906	Beryllium	12/5/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	130110907	Beryllium	12/6/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	130110908	Beryllium	12/7/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	130110909	Beryllium	12/8/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	130110910	Beryllium	12/9/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	130110911	Beryllium	12/10/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	130110912	Beryllium	12/11/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	130110913	Beryllium	12/11/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	130110914	Beryllium	12/12/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	130110915	Beryllium	12/13/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	130110916	Beryllium	12/14/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	130110917	Beryllium	12/16/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	130110918	Beryllium	12/17/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	130110919	Beryllium	12/17/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	130110920	Beryllium	12/18/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	130110921	Beryllium	12/19/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	130110922	Beryllium	12/20/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	130110923	Beryllium	12/21/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	130110924	Beryllium	12/22/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	130110925	Beryllium	12/23/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	130110926	Beryllium	12/23/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	130110927	Beryllium	12/24/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	130110928	Beryllium	12/25/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Chaparral M.S.	130110929	Beryllium	12/26/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Transportation Bldg.	130110930	Beryllium	12/27/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Sunnyside H.S.	130110931	Beryllium	12/28/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #1	130110932	Beryllium	12/29/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Ocotillo Elementary #2	130110933	Beryllium	12/29/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Los Amigos Elementary	130110934	Beryllium	12/30/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	
Los Ninos Elementary	130110935	Beryllium	12/31/2012	IO-3.4	2/15/2013	<	0.225	ng/m ³	<0.225	